# Journal of Paint Technology

## Annual Index

**Volume 38**
**Numbers 492-503**

**January thru December, 1966**

# Author Index


## A

Abd El-Mohsen, F. F.—See Ghanem, N. A.
Adams, M. L. and Keiser, J. R.—Infrared Spectrometric Analysis of Lacquers for Nitrocellulose and Phthalic Anhydride or Isophthalic Acid, Mar., p. 163.
Afremow, L. C. and Vandeberg, J. T.—High Resolution Spectra of Inorganic Pigments and Extenders in the Mid-Infrared Region From 1500 $CM^{-1}$ to 200 $CM^{-1}$, Apr., p. 169.
Ambler, C. W.—Zinc Dust and Other Pigmented Primers for Galvanized Steel, June, p. 343.
Armonas, J. E.—see Pierce, P. E.
Armstrong, W. G. and Ross, W. D.—Anomalous Reflections From Films Pigmented With Titanium Dioxide, Aug., p. 462.
Austin, R. O., Schmidt, D. C., and Odom, H. C.—Vehicles for Electrodeposition, Feb., p. 91.

## B

Bailey, M. E.—see Skreckoski, G.
Baldwin, W.—see Wittcoff, H. W.
Ballard, J. L., Kay, W. B. and Kropa, E. L.—Study on New Phenol-Formaldehyde Intermediates, May, p. 251.
Beeferman, H. L. and Bergren, D. A.—Practical Applications of Rheology in the Paint Industry, Jan., p. 9.
Berger, H. W.—Determination of Mercury in Latex Paints and Paint Films Containing Mercury Fungicides, July, p. 371.
Berger, S. E.—see Skreckoski, G.
Bergren, D. A.—see Beeferman, H. L.
Billmeyer, F. W.—Precision, Accuracy and Validity of Instrumental Color Measurement, Dec., 1966, p. 726.
Blose, W. A.—see Ritter, H. S.
Boucher, E. A.—Some Current Ideas on Wetting, June, p. 329.
Brewer, G. E. F., Horsch, M. E., and Madarasz, M. F.—Ford Electrocoating Process: The Determination of the Throwing Power of Electrophoretic Coating Compositions—Aug., p. 452.
Brewer, G. E. F., Strosberg, G. G., Madejczyk, L. A., and Hines, R. F.—Ford Electrocoating Process: Agitational Stability Of Bath, Aug., p. 449.
Brewer, G. E. F.—see Burnside, G. L.
Broome, T. T.—see Lowrey, E. J.
Brown, T. C. and Whitehill, L. N.—Durability of Alkyd Amino Resin Systems Based on Accelerated and Exterior Exposure Results, Oct., p. 615.
Brownlie, G. and Furaus, G. C.—Some Factors Related to Pigment Dispersion, Mar., p. 113.
Bukowski, R. L.—see Hanan, S. E.
Burnside, G. L. and Brewer, G. E. F.—Ford Electrocoating Process, Feb., p. 96.
Burnside, G. L., Brewer, G. E. F., Strosberg, G. G., and Igras, K. A.—Ford Electrocoating Process: Prediction of Current Requirements, Feb., p. 101.
Byrd, J. J.—see Kronstein, M.

## C

Carroad, M. R.—see Kronstein, M.
Cass, R. A.—Sward Rocker for Measuring the Modulus of Elasticity of Paint Films, May, p. 281.
Chae, Y. C.—Dynamic Mechanical Studies of Plasticizer Efficiency in Acrylic Lacquers, May, p. 285.
Chan, E. J.—see Slabaugh, W. H.
Claver, G. C.—Chemical and Physical Methods for the Characterization of Polymers, Feb., p. 64.
Cooper, C. W.—see Kemp, H. T.
Cowan, J. C.—see McManis, G. E.
Crowley, J. D., Teague, G. S. and Lowe, J. W.—Three-Dimensional Approach to Solubility, May, p. 269.

## D

Daniel, F. K.—Determination of Mill Base Composition for High Speed Dispersers, Sept., p. 534.
Daniel, F. K.—Flocculation and Related Pigment Interactions in Paints, June, p. 309.
Deibert, R. J.—Introduction and Principles of Electrodeposition of Coatings, Aug. p. 421.
Dembski, T. A.—see Ritter, H. S.
Dollear, F. G.—see Rayner, E. T.
Dollear, F. G.—see Verburg, G. B.
Donegan, V. A.—see Pierce, P. A.
Dupuy, H. P.—see Rayner, E. T.
Dupuy, H. P.—see Verburg, G. B.

## E

Esposito, G. G. and Swann, M. H.—Determination of Aromatic Content of Hydrocarbon Paint Solvents By Gas Chromatography, July, p. 377.

## F

Floyd, J. D., Gill, J. W. and Wirick, M. G.—Viscosity Stability of Latex Paints Containing Water-Soluble Cellulose Polymers, July, p. 398.
Furaus, G. C.—see Brownlie, G.

## G

Gans, D. M.—Wetting, Spreading, and Contact Angles, June, p. 322.
Gardon, J. L.—Influence of Polarity Upon the Solubility Parameter Concept, Jan., p. 43.
Gast, L. E.—see McManis, G. E.
Ghanem, N. A. and Abd El-Mohsen, F. F.—Glycerolysis Step in Production of Oil-Modified Alkyd Resins, July, p. 381.
Gill, J. M.—see Floyd, J. D.
Glaser, D. W.—see Shackelford, W. E.
Glass, A. L. and Smith, J.—Radiochemical Investigation into the Diffusion of Ions Through Protective Films, Apr., p. 203.
Graft, C. M.—see Suggitt, J. W.
Gutfreund, K.—Determination of the Susceptibility of Paint Films to Deterioration, Dec., 1966, p. 732.

## H

Hagan, J. W.—Resins for Electrocoating, Aug., p. 436.
Hanan, S. E. and Bukowski, R. L.—Evaluation of a Vehicle's Dispersing Efficiency, Sept., p. 527.
Hay, T. K.—see Schurr, G. G.
Hickam, W. M.—see Scala, L. C.
Hill, H. E. and Nick, D. P.—Study of the Reliability of Taber Abrasion Results, Mar., p. 123.
Hines, R. F.—see Brewer, G. E. F.
Holsworth, R. M.—see Pierce, P. E.
Honigmann, B.—Crystal Properties of Organic Pigments, Feb., p. 77.
Hopper, L. L.—see Rayner, E. T.
Hopper, L. L.—see Verburg, G. B.
Horsch, M. E.—see Brewer, G. E. F.

## I

IGRAS, R. A.—see Burnside, G. L.

## K

KANE, A. J.—see Skreckoski, G.

KAY, W. B.—see Ballard, J. L.

KAYS, W. T.—Pigment Application in Electrodeposition Coatings, Aug., p. 440.

KEISER, J. R.—see Adams, M. L.

KELL, R. M.—see Kemp, H. T.

KELLY, J. S.—Gas Chromatography for Quality Control in the Paint Industry, May, p. 302.

KEMP, H. T., COOPER, C. W. and KELL, R. M.—Determining Effectiveness of Biocidal Additives in Coatings, July, p. 363.

KING, L. F.—Petroleum Solvents as Thinners for Alkyd Resins: III. Aromatics and Cycloparaffins, Mar., p. 141.

KLIMEK, J.—see Myers, R. R.

KNAUSS, C. J.—see Myers, R. R.

KOCH, R. L.—Equipment for Electrophoresis, Aug., p. 443.

KORAL, J. N. and PETROPOULOS, J. C.—Hexakis (Methoxymethyl) - Melamine: Its Chemistry and Utilization in Surface Coatings, Oct., p. 600.

KORAL, J. N. and PETROPOULOS, J. C.—Thermosetting Acrylic Emulsion Based on Hexakis (Methoxymethyl) Melamine, Oct., p. 610.

KRONSTEIN, M., CARROAD, M. R., and BYRD, J. J.—The Gelation Effect of Tetra Alkyl Titanates on Elastomeric Coating Materials, Jan., p. 37.

KROPA, E. L.—see Ballard, J. L.

KUDVA, A. K. and WILLIAMS, G. C.—Reflectances of Free and Bonded White Paint Films, Mar., p. 156.

KUTIK, L.—Powdered Resin Coating Technology, Sept., p. 493.

## L

LAGARIAS, J. S.—see McCabe, L. C.

LATHE, J. H.—Marketing—An Awareness, Sept., p. 414.

LAWLESS, K. R.—see Mitchell, D. F.

LEBRAS, L. R.—Electrodeposition: Theory and Mechanisms, Feb., p. 85.

LEETE, C. G.—Colorant Mixture Prediction: A Digital Computer Method for Colorimetric Matches, Mar., p. 136.

LEGUE, N.—Thermosetting Vinyl Reaction Product for Use on Exterior Wood Products, Oct., p. 620.

LESNINI, D. G.—Fractionation of Alkyd Resins by Gel Permeation Chromatography, Sept., p. 498.

LEVINSON, S. B.—Abrasion Resistant Finishes, Sept., p. 485.

LEWIS, S. N.—Thermosetting Acrylic Emulsion: A Novel Method for Estimating Crosslink Density in Polymeric Films, Nov., p. 667.

LOOF, H.—Goniophotometry With the Zeiss GP2, Oct., p. 632.

LOWE, J. W.—see Crowley, J. D.

LOWREY, E. J. and BROOME, T. T.—Practical Application of Modern Permeability Theory in the Paint Industry, Apr., p. 227.

LUTES, D. K.—Vinyl Finishes for Coil Coatings, Oct., p. 627.

## M

MADARASZ, M. F.—see Brewer, G. E. F.

MADEJCZYK, L. A.—see Brewer, G. E. F.

MADI, A. J.—see Mitton, P. B.

MARTENS, C. R.—Review of Latex and Water-Soluble Coatings, Mar., p. 46A.

MCCABE, L. C. and LAGARIAS, J. S.—Air Pollution and the Paint Industry, Apr., p. 210.

MCMANIS, G. E., GAST, L. E., and COWAN, J. C.—Color Stability of Films From Conventional and Emulsion Paints Containing Linseed Oil, Dec., 1966, p. 740.

MERKEL, K. W.—Alkyd Modified Exterior Emulsion Paints, Sept., p. 543.

MILLER, H.—see Rayner, E. T.

MILLER, R.—Refinements in Determination of Hiding Power, Mar., p. 131.

MARANDA, T. J.—Thermosetting Acrylics, Aug., p. 469.

MITCHELL, D. F. and LAWLESS, K. R.—The Early Stages of the Low Pressure Oxidation of Single Crystals of Copper, Oct., p. 575.

MITTON, P. B. and MADI, A. J.—Evaluation $TiO_2$-Colorant Interaction by Measurement of Scattering Coefficient, Dec., 1966, p. 717.

MONTALVO, J. R.—see Tooke, W. R.

MORAWETZ, H.—Thermally Reversible Gelation, Feb., p. 59.

MYERS, R. R., KLIMEK, J. and KNAUSS, C. J.—Continuous Monitoring of Changes in Mechanical Properties During Film Formation, Sept., p. 479.

## N

NICK, D. P.—see Hill, H. E.

## O

ODOM, H. C.—see Austin, R. O.

OLSEN, D. A.—Physical Chemistry Concepts In the Electrodeposition of Organic Coatings, Aug., p. 429.

## P

PARKER, H. E.—Thixotropic Chlorinated Rubber Paints, June, p. 357.

PATTON, T. C.—New Method for the Viscosity Measurement of Paint in the Settling, Sagging, Leveling, and Penetration Shear Rate Range of .001 to 1.0 Reciprocal Seconds Using a Cone/Plate Spring Relaxation Technique, Nov., p. 656.

PATTON, T. C.—Pigment Suspension in Paint Vehicles, July, p. 387.

PETROPOULOS, J. C.—see Koral, J. N.

PIERCE, P. E. and ARMONAS, J. E.—Rheology of Alkyds and Low Molecular Weight Resin Solutions, Dec., 1966, p. 710.

PIERCE, P. E. and DONEGAN, V. A.—Rheology and Application Characteristics of Thixotropic Coatings, Jan., p. 1.

PIERCE, P. E. and HOLSWORTH, R. M.—Mechanical Properties and Performance of Wood Primers, Oct., p. 584.

PIERCE, P. E. and HOLSWORTH, R. M.—Mechanical Properties of Coatings-Measurement of Torsion Modulus and Logarithmic Decrement of Free Films, May, p. 263.

POST, M. A.—Determination of Bound Styrene in Soluble High Styrene-Butadiene Resins, June, p. 336.

PRICE, C. C.—Polyxylenol, Dec., 1966, p. 703.

## R

RAYNER, E. T.—see Verburg, G. B.

RAYNER, E. T., YEADON, D. A., VERBURG, G. B., DOLLEAR, F. G., DUPUY, H P., HOPPER, L. L., JR., and MILLER, H.—Water Resistant, Oil Based, Intumescing Fire-Retardant Coatings: III. Vehicle and Carbonific Components, Feb., p. 105.

RITTER, H. S., BLOSE, W. A., and DEMBSKI, T. A.—Influence of Fine Particle Extenders on Hiding Pigment Performance in Latex Paints, Sept., p. 508.

ROSS, W. D.—see Armstrong, W. G.

S

Scala, L. C., Sweeney, G. G. and Hickam, W. M.—Analysis of Metal-Containing Organic Thin Layers Using The Spinning Electrode Spark Source Mass Spectrograph, July, p. 402.

Schmidt, D. C.—see Austin, R. O.

Schurr, G. G., Hay, T. K., and Van Loo, M.—Possibility of Predicting Exterior Durability by Stress/Strain Measurements, Oct., p. 591.

Sekmakas, K. and Stancl, R. F.—Modified Thermosetting Acrylamide Polymers and Methods of Preparation, Apr., p. 217.

Shackelford, W. E. and Glaser, D. W.—Thixotropic Modification of Alkyd Resin Paints with Polyamides, May, p. 293.

Shanks, F. W.—Corrosion and Its Prevention: Brief Review for Paint Technologists, June, p. 351.

Skreckoski, G., Bailey, M. E., Kane, A. J., and Berger, S. E.—Adhesion Aspects of Urethane Coatings, Aug., p. 456.

Slabaugh, W. H. and Chan, E. J.—Atmospheric Components and Filiform Corrosion, Aug., p. 417.

Sletmoe, G. M.—Evaporation of Nonhydrogen-Bonding Solvents from Resin Films, Nov., p. 641.

Smith, J.—see Glass, A. L.

Stancl, R. F.—see Sekmakas, K.

Stieg, F. B.—Accelerating the Accelerated Weathering Test, Jan., p. 29.

Strosberg, G. G.—see Brewer, G. E. F.

Strosberg, G. G.—see Burnside, G. L.

Sullivan, M. R.—Introduction and Principles Of Electrodeposition Of Coatings, Aug., p. 424.

Suggitt, J. T. and Graft, C. M.—Ten Years Experience in Evaluation of Coatings for Underwater Steel Structures, Mar., p. 150.

Swann, M. H.—see Esposito, G. G.

Sweeney, G. G.—see Scala, L. C.

T

Teague, G. S.—see Lowe, J. W.

Torgeson, D. C.—Mode of Action and Relation of Chemical Structure to Activity of Paint Fungicides, July, p. 368.

V

Vandeberg, J. T.—see Afremow, L. C.

Van Loo, M.—see Schurr, G. G.

Verburg, G. B.—see Rayner, E. T.

Verburg, G. B., Yeadon, D. A., Rayner, E. T., Dollear, F. G., Dupuy, H. P., Hopper, L. L., and York, E.—Water-Resistant, Oil-Based, Intumescing Fire-Retardant Coatings: IV. Evaluation of Fire Retardancy, July, p. 407.

W

Weisberg, H. E.—Shear-Induced Flocculation, June, p. 317.

Wengert, E. M.—Effect of Atmospheric Gases on Color Changes in Wood Exposed to Ultraviolet Light, Feb., p. 71.

Whitehill, L. N.—see Brown, T. C.

Williams, G. C.—see Kudva, A. K.

Wirick, M. G.—see Floyd, J. D.

Wittcoff, H. W. and Baldwin, W.—The Inherent Corrosion-Inhibiting Properties of the Polyamide-Epoxy Vehicle, Sept., p. 556.

Y

Yeadon, D. A.—see Rayner, E. T.

Yeadon, D. A., see Verburg, G. B.

York, E.—see Verburg, G. B.


# Proceedings of the Paint Research Institute


Atmospheric Components and Filiform Corrosion (Report No. 44)—W. H. Slabaugh and E. J. Chan, Aug., p. 417.

Continuous Monitoring of Changes in Mechanical Properties During Film Formation (Report No. 45)—R. R. Myers, J. Klimek, and C. J. Knauss, Sept., p. 479.

Early Stages of the Low Pressure Oxidation of Single Crystals of Copper (Report No. 46)—D. F. Mitchell and K. R. Lawless, Oct., p. 575.

Study on New Phenol-Formaldehyde Intermediates (Report No. 43)—J. L. Ballard, W. B. Kay, and E. L. Kropa, May, p. 351.

Thermally Reversible Gelation (Report No. 42)—H. Morawetz, Feb., p. 59.


# Mattiello Memorial Lecture


Polyxylenol—C. C. Price, Dec., 1966, p. 703.


# Constituent Society Papers

### C-D-I-C


Efficient Material Handling and Processing Techniques in the Resin and Coating Industry—Nov., p. 675.


### Golden Gate


Color Instruments Take the Visual Color Aptitude Test—Sept. p. 564.

Effectiveness of Zinc Oxide in Color Retention of Exterior Coatings—Nov., p. 682.


### Houston


Experimental Resurvey of the Pencil Hardness Test for the Evaluation of Hardness of Dry Films—Nov., p. 691.


### Philadelphia


Color Difference Acceptability Versus Conditions of Viewing—Nov., p. 695.

# Alphabetical Listing of Papers

## A


Abrasion Resistant Finishes—S. B. Levinson, Sept., p. 485.
Accelerating the Accelerated Weathering Test—F. B. Stieg, Jan., p. 29.
Adhesion Aspects of Urethane Coatings—G. Skreckoski, M. E. Bailey, A. J. Kane, and S. E. Berger, Aug., p. 456.
Air Pollution and the Paint Industry—L. C. McCabe and J. S. Lagarias, Apr., p. 210.
Alkyd Modified Exterior Emulsion Paints—K. W. Merkel, Sept., p. 543.
Analysis of Metal-Containing Organic Thin Layers Using the Spinning Electrode Spark Source Mass Spectrograph—C. Scala, G. G. Sweeney, and W. M. Hickam, July, p. 402.
Anomalous Reflections From Films Pigmented With Titanium Dioxide—W. G. Armstrong and W. D. Ross, Aug., p. 462.
Atmospheric Components And Filiform Corrosion—W. H. Slabaugh and E. J. Chan, Aug., p. 417.


## C


Chemical and Physical Methods for the Characterization of Polymers—G. C. Claver, Jr., Feb., p. 64.
Coatings Adherence Measurement by an Angular Scribe-Stripping Technique—W. R. Tooke and J. R. Montalvo, Jan., p. 18.
Color Difference Acceptability Versus Conditions of Viewing—Philadelphia Society, Nov., p. 695.
Color Instruments Take the Visual Color Aptitude Test—Golden Gate Society, Sept., p. 564.
Color Stability of Films From Conventional and Emulsion Paints Containing Linseed Oil—G E. McManis, L. E. Gast, and J. C. Cowan, Dec., 1966, p. 740.
Continuous Monitoring of Changes in Mechanical Properties During Film Formation—R. R. Myers, J. Klimek, and C. J. Knauss, Sept., p. 479.
Corrosion and Its Prevention: Brief Review For Paint Technologists—F. W. Shanks, June, p. 351.
Colorant Mixture Prediction: A Digital Computer Method for Colorimetric Matches—C. G. Leete, Mar., p. 136.
Crystal Properties of Organic Pigments—B. Honigmann, Feb., p. 77.


## D


Determination of Aromatic Content of Hydrocarbon Paint Solvents by Gas Chromatography—G. G. Esposito and M. H. Swann, July, p. 377.
Determination of Bound Styrene in Soluble High Styrene-Butadiene Resins—M. A. Post, June, p. 336.
Determination of Mercury in Latex Paints and Paint Films Containing Mercury Fungicides—H. W. Berger, July, p. 371.
Determination of Mill Base Composition for High Speed Dispersers—F. K. Daniel, Sept., p. 534.
Determination of the Susceptibility of Paint Films to Deterioration—K Gutfreund, Dec., 1966, p. 732.
Determining Effectiveness of Biocidal Additives in Coatings—H. T. Kemp, C. W. Cooper and R. M. Kell, July, p. 363.
Durability of Alkyd Amino Resin Systems Based on Accelerated and Exterior Exposure Results—T. C. Brown and L. N. Whitehill, Oct., p. 615.
Dynamic Mechanical Studies of Plasticizer Efficiency in Acrylic Lacquers—Y. C. Chae, May, p. 285.


## E


Early Stages of the Low Pressure Oxidation of Single Crystals of Copper—D. F. Mitchell and K. R. Lawless, Oct., p. 575.
Effectiveness of Zinc Oxide in Color Retention of Exterior Coatings—Golden Gate Society, Nov., p. 682.
Effect of Atmospreric Gases on Color Changes in Wood Exposed to Ultraviolet Light—E. M. Wengert, Feb., p. 71.
Efficient Material Handling and Processing Techniques in the Resin and Coating Industry—C-D-I-C Society, Nov., p. 675.
Electrodeposition: Theory and Mechanisms—L. R. LeBras, Feb., p. 85.
Electrode Reactions in Electrodeposition of Paint—M. R. Sullivan, Aug., p. 424.
Equipment for Electrophoresis—R. L. Koch, Aug., p. 443.
Evaluating $TiO_2$-Colorant Interaction by Measurement of Scattering Coefficient—P. B. Mitton and A. J. Madi, Dec., 1966, p. 717.
Evaluation of a Vehicle's Dispersing Efficiency—S. E. Hanan and R. L. Bukowski, Sept., p. 527.
Evaporation of Nonhydrogen-Bonding Solvents from Resin Films—G. M. Sletmoe, Nov., p. 641.
Experimental Resurvey of the Pencil Hardness Test for the Evaluation of Hardness of Dry Films—Houston Society, Nov., p. 691.


## F


Flocculation and Related Pigment Interactions in Paints—F. K. Daniel, June, p. 309.
Ford Electrocoating Process—G. L. Burnside and G. E. F. Brewer, Feb., p. 96.
Ford Electrocoating Process: Agitational Stability of Bath—G. E. F. Brewer, G. G. Strosberg, L. A. Madejczyk, and R. F. Hines, Aug., p. 449.
Ford Electrocoating Process: The Determination of the Throwing Power of Electrophoretic Coating Compositions—G. E. F. Brewer, M. E. Horsch, and M. F. Madarasz, Aug., p. 452.
Ford Electrocoating Process: Prediction of Current Requirements—G. L. Burnside, G. E. F. Brewer, G. G. Strosberg, and R. A. Igras, Feb., p. 101.
Fractionation of Alkyd Resins by Gel Permeation Chromatography—D. G. Lesnini, Sept., p. 498.


## G


Gas Chromatography for Quality Control in the Paint Industry—J. S. Kelly, May, p. 302.
Gelation Effect of Tetra Alkyl Titanates on Elastomeric Coating Materials—M. Kronstein, M. R. Carroad, and J. J. Byrd, Jan., p. 37.
Glycerolysis Step in Production of Oil-Modified Alkyd Resins—N. A. Ghanem and F. F. Abd El-Mohsen, July, p. 381.
Goniophotometry With the Zeiss GP2—H. Loof, Oct., p. 632.


## H


Hexakis (Methoxymethyl) Melamine: Its Chemistry and Utilization in Surface Coatings—J. N. Koral and J. C. Petropoulos, Oct., p. 600.
High Resolution Spectra of Inorganic Pigments and Extenders in the Mid-Infrared Region From 1500 $CM^{-1}$ to 200 $CM^{-1}$—L. C. Afremow and J. T. Vandeberg, Apr., p. 169.

## I

Influence of Fine Particle Extenders on Hiding Pigment Performance in Latex Paints—H. S .Ritter, W. A. Blose, and T. A. Dembski, Sept., p. 508.
Influence of Polarity Upon the Solubility Parameter Concept—J. L. Gardon, Jan., p. 43.
Infrared Spectrometric Analysis of Lacquers for Nitrocellulose and Phthalic Anhydride or Isophthalic Acid—M. L. Adams and J. R. Keiser, Mar., p. 163.
Inherent Corrosion-Inhibiting Properties of the Polyamide-Epoxy Vehicle—H. W. Wittcoff and W. Baldwin, Sept., p. 556.
Introduction and Principles Of Electrodeposition of Coatings—R. J. Deibert, Aug., p. 421.

## M

Marketing—An Awareness—J. H. Lathe, Jr., Sept., p. 41A.
Mechanical Properties and Performance of Wood Primers—P. E. Pierce and R. M. Holsworth, Oct., p. 584.
Mechanical Properties of Coatings-Measurement of Torsion Modulus and Logarithmic Decrement of Free Films—P. E. Pierce and R. M. Holsworth, May, p. 263.
Mode of Action and Relation of Chemical Structure to Activity of Paint Fungicides—D. C. Torgeson, July, p. 368.
Modified Thermosetting Acrylamide Polymers and Methods of Preparation—K. Sekmakas and R. F. Stancl, Apr., p. 217.

## N

New Method for the Viscosity Measurement of Paint in the Settling, Sagging, Leveling and Penetration Shear Rate Range of .001 to 1.0 Reciprocal Seconds Using a Cone/Plate Spring Relaxation Technique—T. C. Patton, Nov., p. 656.

## P

Petroleum Solvents as Thinners for Alkyd Resins: III. Aromatic and Cycloparaffins—L. F. King, Mar., p. 141.
Physical Chemistry Concepts in the Electrodeposition of Organic Coatings—D. A. Olsen, Aug., p. 429.
Pigment Application in Electrodeposition Coatings—W T. Kays, Aug., p. 443.
Pigment Suspension in Paint Vehicles—T. C. Patton, July, p. 387.
Polyxylenol—C. C. Price, Dec., 1966, p. 703.
Possibility of Predicting Exterior Durability by Stress/Strain Measurements—G. G. Schurr, T. K. Hay, and M. Van Loo, Oct., p. 591.
Powdered Resin Coating Technology—L. Kutik, Sept., p. 493.
Practical Application of Modern Permeability Theory in the Paint Industry—E. J. Lowrey and T. T. Broome, Apr., p. 227.
Practical Applications of Rheology in the Paint Industry—H. L. Beeferman and D. A. Bergren, Jan., p. 9.
Precision, Accuracy and Validity of Instrumental Color Measurement—F. W. Billmeyer, Dec., 1966, p. 726.

## R

Radiochemical Investigation into the Diffusion of Ions Through Protective Films—A. L. Glass and J. Smith, Apr., p. 203.
Refinements in Determination of Hiding Power—R. Miller, Mar., p. 131.
Reflectances of Free and Bonded White Paint Films—A. K. Kudva and G. C. Williams, Mar., p. 156.
Resins for Electrocoating—J. W. Hagan, Aug., p. 436.
Review of Latex and Water-Soluble Coatings—C. R. Martens, Mar., p. 46A.
Rheology and Application Characteristics of Thixotropic Coatings—P. E. Pierce and V. A. Donegan, Jan., p. 1.
Rheology of Alkyds and Low Molecular Weight Resin Solutions—P. E. Pierce and J. E. Armonas, Dec., 1966, p. 710.

## S

Shear-Induced Flocculation—H. E. Weisberg, June, p. 317.
Some Current Ideas on Wetting—E. A. Boucher, June, p. 329.
Some Factors Related to Pigment Dispersion—G. Brownlie and G. C. Furaus, Mar., p. 113.
Study of the Reliability of Taber Abrasion Results—H. E. Hill and D. P. Nick, Mar., p. 123.
Study on New Phenol-Formaldehyde Intermediates—J. L. Ballard, W. B. Kay, and E. L. Kropa, May, p. 251.
Sward Rocker for Measuring the Modulus of Elasticity of Paint Films—R. A. Cass, May, p. 281.

## T

Ten Years Experience in Evaluation of Coatings for Underwater Steel Structures—J. W. Suggitt and C. M. Graft, Mar., p. 150.
Thermally Reversible Gelation—H. Morawetz, Feb., p. 59.
Thermosetting Acrylic Emulsion Based on Hexakis-(Methoxymethyl) Melamine—J. N. Koral and J. C. Petropoulos, Oct., p. 610.
Thermosetting Acrylic Emulsions: A Novel Method for Estimating Crosslinking Density in Polymeric Films—S. N. Lewis, Nov., p. 667.
Thermosetting Acrylics—T. J. Miranda, Aug., p. 469.
Thixotropic Chlorinated Rubber Paints—H. E. Parker, June, p. 357.
Thermosetting Vinyl Reaction Product for Use on Exterior Wood Products—N. Legue, Oct., p. 620.
Thixotropic Modification of Alkyd Resin Paints With Polyamides—W. E. Shackelford and D. W. Glaser, May, p. 293.
Three-Dimensional Approach to Solubility—J. D. Crowley, G. S. Teague, and J. W. Lowe, May, p. 269.

## V

Vehicles for Electrodeposition—R. O. Austin, D. C. Schmidt, and H. C. Odom, Feb., p .91.
Vinyl Finishes for Coil Coatings—D. K. Lutes, Oct., p. 627.
Viscosity Stability of Latex Paints Containing Water-Soluble Cellulose Polymers—J. D. Floyd, J. W. Gill, and M. G. Wirick, July, p. 398.

## W

Water Resistant, Oil-Based, Intumescing Fire-Retardant Coatings: III. Vehicle and Carbonific Components—E. T. Rayner, D. A. Yeadon, G. B. Verburg, F. G. Dollear, H. P. Dupuy, L. L. Hopper, Jr., and H. Miller, Feb., p. 105.
Water-Resistant, Oil-Based, Intumescing Fire-Retardant Coatings: IV. Evaluation of Fire Retardancy—G. B. Verburg, D. A. Yeadon, E. T. Rayner, F. G. Dollear, H. P. Dupuy, L. L. Hopper and E. York, July, p. 407.
Wetting, Spreading, and Contact Angles—D. M. Gans, June, p. 322.

## Z

Zinc Dust and Other Pigmented Primers for Galvanized Steel—C. W. Ambler, June, p. 343.

# Key Word Index


## A

Abrasion ..... 123—Mar.
Abrasion resistance ..... 485—Sept.
Absorbance ratio method ..... 336—Jun.
Accelerated aging ..... 584—Oct.
Accelerated exposure ..... 615—Oct.
Accelerated testing ..... 591—Oct.
Accelerated weathering ..... 29—Jan.
Acrylamide polymers ..... 217—Apr.
Acrylate lacquer ..... 285—May
Acrylate polymers ..... 217—Apr.
Acrylates, internally plasticized, water soluble ..... 91—Feb.
Acrylic latexes ..... 479—Sept.
Acrylic monomers ..... 469—Aug.
Acrylic polymer ..... 469—Aug.
Acrylics ..... 610—Oct.
Activation energies ..... 381—Jul.
Additives, paint ..... 740—Dec.
Adherence number ..... 18—Jan.
Adhesion ..... 329—Jun.
Adhesion measurement ..... 18—Jan.
Adhesion to galvanized steel ..... 343—Jun.
Adhesion to various substrates ..... 456—Aug.
Adhesive failure ..... 479—Sept.
Agitational stability of bath ..... 449—Aug.
Air pollution ..... 210—Apr.
Alkyd-amino resin vehicles ..... 615—Oct.
Alkyd analysis ..... 377—Jul.
Alkyd resin ..... 141—Mar., 293—May, 381—Jul., 498—Sept., 641—Nov.
Alkyd resin analysis ..... 498—Sept.
Alkyd resin molecular weight distribution ..... 498—Sept.
Alkyds ..... 543—Sept., 710—Dec.
Alkyd semi-gloss enamel ..... 508—Sept.
Amino compounds ..... 610—Oct.
Amino cross-linking agents ..... 600—Oct.
Amperage prediction from coil stock electrocoating device ..... 96, 101—Feb.
Analysis ..... 371—Jul.
Analysis/composition ..... 402—Jul.
Analysis of polymers ..... 64—Feb.
Anodic hydrocoating ..... 443—Aug.
Application methods ..... 493—Sept.
Application of prime coats ..... 452—Aug.
Applications of thermosetting acrylics ..... 469—Aug.
Aromatic hydrocarbons ..... 377—Jul.
Aromatics ..... 141—Mar.
Atmospheric exposure of coated steel panels ..... 417—Aug.
Attrition methods ..... 493—Sept.
Automotive batch tanks ..... 449—Aug.

## B

Bacterial deterioration ..... 363—Jul.
Biocidal additives ..... 363—Jul.
Black glass standard ..... 632—Oct.
Blast-cleaned steel ..... 150—Mar.
Blistering ..... 227—Apr.
Bound styrene ..... 336—Jun.
Brabender Plasti-Corder ..... 527—Sept.
Branchiness-solvency ..... 141—Mar.
Bulk handling of dry pigments ..... 675—Nov.
Bulk liquid diffusion ..... 641—Nov.

## C

Captan ..... 368—Jul.
Carbon monoxide ..... 210—Apr.
Carborundum abrasion ..... 485—Sept.
Castor urethane wood finish ..... 620—Oct.
Catalysis ..... 381, 402—Jul.
Cation diffusion ..... 429—Aug.
Cellulose acetate butyrate ..... 269—May
Cellulose ethers ..... 398—Jul.
Cellulose nitrate ..... 269—May
CIE Chromaticity Diagram ..... 564—Sept.
Chalk ratings in weathering ..... 29—Jan.
Chloride diffusion ..... 203—Apr.
Chlorinated rubber paints ..... 357—Jun.
Chlorophenols ..... 368—Jul.
Chromatograms ..... 302—May
Chromatography ..... 377—Jul.
Coal-tar epoxy ..... 150—Mar.
Coatings ..... 556—Sept.
Coil coatings ..... 627—Oct.
Color ..... 71—Feb., 726—Dec.
Color-acceptance measurements ..... 717—Dec.
Colorant formulation ..... 726—Dec.
Color difference acceptability ..... 695—Nov.
Color-Eye ..... 564—Sept.
Colorimeters ..... 564—Sept.
Colorimetric ..... 371—Jul.
Colorimetry ..... 726—Dec.
Color matching ..... 136—Mar., 695—Nov.
Color measurement ..... 564—Sept.
Color retention ..... 682—Nov.
Color stability ..... 740—Dec.
Color theory ..... 136—Mar.
Color tolerances ..... 136—Mar.
Comparative flame-spread of coatings in 2-, 16-, and 25-foot furnaces ..... 407—Jul.
Comparing ..... 527—Sept.
Computer ..... 123—Mar.
Computer color library ..... 136—Mar.
Computer matching ..... 136—Mar.
Contact angles ..... 322, 329—Jun.
Contamination of air ..... 210—Apr.
Contrast ratio ..... 131—Mar.
Correlation between actual and accelerated weathering data ..... 615—Oct.
Corrosion ..... 343, 351, 357—Jun., 417—Aug.
Corrosion cells ..... 556—Sept.
Corrosion protection ..... 452—Aug.
Corrosion resistance ..... 556—Sept.
Corrosion-resistant materials ..... 351—Jun.
Creep ..... 732—Dec.
Cross-link density ..... 600—Oct.
Crosslink density of thin films ..... 667—Nov.
Crosslinking ..... 469—Aug.
Cross-linking efficiency ..... 600, 610—Oct.
Crystallinity of polymers ..... 59—Feb.
Crystal phases of pigment particles ..... 77—Feb.
Cycloparaffins ..... 141—Mar.

## D


Dew cycle weather machine ..... 29—Jan.
Differential thermal analysis (DTA) ..... 64—Feb..
Diffusion of ions through films ..... 203—Apr.
Diffusion of water ..... 227—Apr.
Dilatancy ..... 534—Sept.
Dipole moments ..... 269—May
Discoloration, paint films ..... 740—Dec.
Dispersing ..... 527—Sept.
Dispersing agents ..... 309—Jun.
Dispersion ..... 317, 322—Jun.
Dithizone ..... 371—Jul.
Dry opacity ..... 131—Mar.
Durability ..... 591, 615—Oct.
Dynamic mechanical properties ..... 263, 285—May, 584—Oct.


## E


Edge definition ..... 632—Oct.
Elasticity modulus ..... 281—May
Elastomer gelation by titanates ..... 37—Jan.
Electrochemical mechanism of corrosion ..... 351—Jun.
Electrocoating ..... 85—Feb.
Electrocoating of wheels and automotive bodies .... 96, 101—Feb.
Electrocoating resins ..... 436—Aug.
Electrode reactions ..... 424—Aug.
Electrodeposition ..... 85—Feb., 421, 424, 429, 440, 443, 449, 452—Aug.
Electrodeposition of organic coatings ..... 96, 101—Feb.
Electrolysis ..... 421, 443—Aug.
Electrolytic resistance ..... 363—Jul.
Electron diffraction ..... 575—Oct.
Electron microscopy ..... 575—Oct.
Electroosmosis ..... 421, 443—Aug.
Electrophoresis ..... 85—Feb., 421—Aug.
Electrophoretic coating compositions ..... 449—Aug.
Electrophoretic deposition ..... 429—Aug.
Elongation ..... 584, 591—Oct.
Emulsion paints ..... 740—Dec.
Emulsion polymers ..... 436—Aug.
Emulsions ..... 543—Sept.
Enzymatic degradation ..... 398—Jul.
Epoxy resin ..... 556—Sept.
Equipment, electrodeposition ..... 91—Feb.
Ethyl cellulose ..... 641—Nov.
Evaluation ..... 527—Sept.
Evaluation of fire retardancy ..... 407—Jul.
Evaluation of pigments for electrodeposition ..... 440—Aug.
Exposure ..... 591—Oct.
Exposure of exterior coatings ..... 682—Nov.
Exterior coatings for wood ..... 543—Sept.
Exterior exposure ..... 615—Oct.
Exterior paints ..... 682—Nov.
Exterior wood finish ..... 620—Oct.


## F


Factory prefinishing of wood ..... 620—Oct.
Filiform corrosion ..... 417—Aug.
Film formation ..... 479—Sept.
Film hardness (measured by pencil testing) ..... 691—Nov.
Film thickness ..... 493—Sept.
Fine particle extender ..... 508—Sept.
Fine protection ..... 41A—Jan.
Fire-retardant coatings ..... 105—Feb., 407—Jul.
Flame spraying ..... 493—Sept.
Flash-vaporization ..... 302—May
Flocculation ..... 309, 317, 322—Jun.
Flotation ..... 113—Mar.
Flow Point Method ..... 534—Sept.
Formulating ..... 527—Sept.
Free films ..... 591—Oct.
Fuel tank corrosion ..... 363—Jul.
Fungicide ..... 368, 371—Jul.


## G


Gardner abrader ..... 485—Sept.
Gardner Reflectometers ..... 564—Sept.
Gas chromatography ..... 64—Feb., 302—May
Gas-liquid chromatography ..... 377—Jul.
Gel permeation chromatography ..... 498—Sept.
Gelation ..... 59—Feb.
Gelation by titanates ..... 37—Jan.
Glass transition temperature ..... 263, 285—May, 584—Oct.
Gloss ..... 632—Oct., 717—Dec.
Gloss, anomalous, visual vs. meter, specular, measurement of ..... 462—Aug.
Gloss loss in accelerated weathering ..... 29—Jan.
Glycerolysis ..... 381—Jul.
Goniophotometry ..... 632—Oct.
Graft copolymers ..... 59—Feb.


## H


Hardness by Sward Rocker ..... 281—May
Hardness testing ..... 691—Nov.
Heat of immersion ..... 329—Jun.
Hexakis (methoxymethyl) melamine ..... 600, 610—Oct.
Hiding pigment performance ..... 508—Sept.
Hiding power ..... 131—Mar., 717—Dec.
High polymers ..... 703—Dec.
High speed dispersion ..... 534—Sept.
Hydrocarbon solvents ..... 141—Mar.
Hydrogen bonding ..... 43—Jan., 269—May
Hydrolysis in electrocoating ..... 424—Aug.


## I


Immersion ..... 322—Jun.
Infrared ..... 336—Jun.
Infrared spectroscopy ..... 169—Apr.
Indentation ..... 691—Nov.
Inorganic pigments and extenders ..... 169—Apr.
Instron ..... 591—Oct.
Intercoat adhesion ..... 456—Aug.
Interfacial tension ..... 329—Jun.
Intumescing fire-retardant coatings ..... 105—Feb.
ISCC Color Aptitude Test ..... 564—Sept.
Isopiestic method ..... 641—Nov.
Ion diffusion through films ..... 203—Apr.
Ion mobility ..... 424—Aug.


## K


Kinetics of swelling ..... 667—Nov.
Kubelka-Munk scattering coefficient ..... 717—Dec.


## L


Langmuir films ..... 402—Jul.
Latex ..... 371—Jul.
Latex paints ..... 398—Jul.
Leveling ..... 9—Jan.
Linseed oil ..... 479—Sept.
Linseed oil paints ..... 740—Dec.
Logarithmic decrement ..... 263, 285—May, 584—Oct.
Lubrication ..... 402—Jul.

## M


Macrocyclic rings ..... 251—May
Maintenance painting of hydraulic equipment ..... 150—Mar.
Maintenance paints ..... 556—Sept.
Masonry paints ..... 336—Jun.
Mass spectrometry ..... 402—Jul.
Material handling ..... 675—Nov.
Measurement of pigment settling ..... 387—Jul.
Measurement of rheological properties ..... 656—Nov.
Mechanical stability ..... 9—Jan.
Mechanism of filiform corrosion ..... 417—Aug.
Melting of gels ..... 59—Feb.
Mercurial ..... 368—Jul.
Mercury ..... 371—Jul.
Metamerism ..... 136—Mar.
Methods of hardness testing ..... 691—Nov.
Microbial deterioration ..... 363—Jul.
Mildew inhibiting properties of zinc oxide ..... 682—Nov.
Mill base composition ..... 534—Sept.
Mill base rheology ..... 113—Mar.
Molecular weight ..... 293—May
Molecular weight-solvency ..... 141—Mar.
Monoglyceride formation ..... 381—Jul.


## N


Nitrogen oxides ..... 210—Apr.


## O


Oil-based fire-retardant coatings ..... 105—Feb.
Oil-modified alkyd resins ..... 381—Jul.
Oil modified polyesters ..... 217—Apr.
Optical microscopy ..... 575—Oct.
Organic pigments ..... 77—Feb.
Organosols ..... 627—Oct.
Oxidation in electrocoating ..... 424—Aug.
Oxidation of copper ..... 575—Oct.
Oxide structure ..... 575—Oct.
Ozone ..... 210—Apr.
Ozonization ..... 732—Dec.


## P


Package stability ..... 600—Oct.
Paint ..... 293—May, 371—Jul., 527—Sept.
Paint films ..... 371—Jul., 740—Dec.
Paint performance ..... 508—Sept.
Paints ..... 543—Sept.
Parabolic growth ..... 429—Aug.
Pencil hardness ..... 691—Nov.
Pendulum torsion ..... 263, 285—May, 584—Oct.
Permeability to water ..... 227—Apr.
pH ..... 443—Aug.
Phenol-aldehyde condensate ..... 251—May
Phenols ..... 368—Jul.
Physical chemistry ..... 429—Aug.
Pigment ..... 527—Sept.
Pigment application in electrodeposition ..... 440—Aug.
Pigment dispersion ..... 113—Mar.
Pigment flocculation ..... 309—Jun.
Pigment settling ..... 387—Jul.
Pigment suspension ..... 387—Jul.
Plasticizers ..... 479—Sept.
Plasticizers vs. torsion modulus ..... 263, 285—May
Plastisols ..... 627—Oct.
Plant safety ..... 41A—Jan.
Plating, paint ..... 443—Aug.
Polyamide resin ..... 293—May, 556—Sept.
Polarity ..... 43—Jan.
Polarization studies ..... 556—Sept.
Poly- (aryl ether) ..... 703—Dec.
Polyesters, thermosetting ..... 217—Apr.
Polyether modified urethane oil coatings ..... 456—Aug.
Polymerization ..... 469—Aug.
Polymerization reaction ..... 703—Dec.
Polymers ..... 64—Feb.
Polymers, water soluble for electrodeposition ..... 91—Feb.
Polyvinyl acetate copolymer latex ..... 508—Sept.
Polyvinyl acetate copolymers ..... 543—Sept.
Polystyrene films ..... 479—Sept.
Polyxylenol ..... 703—Dec.
Portland cement pigment ..... 343—Jun.
Powdered resins ..... 493—Sept.
PPO ..... 703—Dec.
Prediction of durability ..... 591—Oct.
Primers ..... 556—Sept.
Primers for galvanized steel ..... 343—Jun.
Preservative ..... 368—Jul.
Preparation, metal ..... 443—Aug.
Pyrolysis—gas chromatography ..... 302—May


## Q


Quant. titanium dioxide ..... 169—Apr.


## R


Radiochemical tracing ..... 203—Apr.
Rate of cure ..... 600—Oct.
Reference spectra ..... 169—Apr.
Reflectance spectra ..... 740—Dec.
Reflection, anomalous, specular ..... 462—Aug.
Residual reactants ..... 320—May
Resin processing ..... 675—Nov.
Resins ..... 710—Dec.
Rheological properties of paint ..... 656—Nov.
Rheology ..... 1, 9—Jan., 317—Jun., 534—Sept., 710—Dec.
Ring structure ..... 251—May
Room temperature curing formulations ..... 600—Oct.
Rule 66 of Los Angeles ..... 210—Apr.


## S


Safety practices in a paint plant ..... 41A—Jan.
Scribe-stripping vs. adhesion ..... 18—Jan.
Service testing ..... 150—Mar.
Settling ..... 717—Dec.
Settling of pigments ..... 387—Jul.
Shear ..... 317—Jun.
Shear stress rate ..... 656—Nov.
Small color difference ..... 564—Sept.
Sodium diffusion ..... 203—Apr.
Solubility parameter ..... 43—Jan., 269—May
Solution theory ..... 269—May
Solution vinyls ..... 627—Oct.
Solvency ..... 141—Mar.
Solvent activity ..... 641—Nov.
Solvent analysis ..... 377—Jul.

Solvent emission ..... 210—Apr.
Solvent evaporation rate ..... 641—Nov.
Solvent systems ..... 302—May
Solvents for polymers ..... 43—Jan.
Sorption of water ..... 227—Apr.
Spatial density distribution ..... 632—Oct.
Specifications ..... 449—Aug.
Spectrophotometry ..... 726—Dec.
Spoilage ..... 398—Jul.
Spray drying ..... 493—Sept.
Spreading ..... 322—Jun.
Stagnant air diffusion ..... 641—Nov.
Statistical Analysis ..... 123—Mar.
Storage facilities ..... 675—Nov.
Stress/strain ..... 591—Oct.
Styrene-butadiene latex ..... 508—Sept.
Styrene-butadiene resins ..... 336—Jun.
Sulfur dioxide ..... 210—Apr.
Surface diffusion ..... 641—Nov.
Suspension of pigments ..... 387—Jul.
Sward Rocker ..... 281—May
Swelling ratios ..... 667—Nov.
Synthetic atmospheres ..... 417—Aug.

## T

Taber Abraser ..... 123—Mar., 485—Sept.
Tensile modulus ..... 281—May
Tensile strength ..... 584, 591—Oct.
Testing ..... 123—Mar., 527—Sept.
Test method ..... 527—Sept.
Test methods for determination of throwing power ..... 452—Aug.
TLV—threshold limit value ..... 210—Apr.
Theory and mechanisms of electrodeposition ..... 85—Feb.
Thermal gravimetric analysis (TGA) ..... 64—Feb.
Thermally reversible gelation ..... 59—Feb.
Thermosetting acrylic formulations ..... 600—Oct.
Thermosetting acrylics ..... 469—Aug.
Thermosetting emulsions ..... 610—Oct.
Thermosetting polyacrylamide ..... 217—Aug.
Thermosetting polymers ..... 667—Nov.
Thermosetting water-based formulations ..... 600—Oct.
Thermosetting wood finish ..... 620—Oct.
Thin films ..... 402—Jul.
Thixotropic ..... 293—May
Thixotropic chlorinated rubber paints ..... 357—Jun.
Thixotropic coatings ..... 1—Jan.
Three-dimensional solubility plot ..... 269—May
Throwing power ..... 429, 436, 449, 452—Aug.
Throwing power of electrocoats ..... 96, 101—Feb.
Trans-esterification ..... 302—May
Tung oil as plasticizer in acrylates ..... 91—Feb.
Turbid media theory ..... 136—Mar.
Time-amperage study of electrocoating ..... 96, 101—Feb.
Time-to-failure ..... 732—Dec.
$TiO_2$-containing paints ..... 717—Dec.
Titanate esters as gellants ..... 37—Jan.
Titanium dioxide, gloss of films containing ..... 462—Aug.
Titanium dioxide pigment ..... 508—Sept.
Torsion modulus ..... 263, 285—May, 584—Oct.
Toxicity of volatile solvents ..... 210—Apr.

## U

Ultraviolet exposure ..... 615—Oct.
Ultraviolet light ..... 71—Feb.
Ultraviolet vs. torsion modulus ..... 263—May
Underwater coatings ..... 150—Mar.
Unsaturated polyesters ..... 217—Apr.
Urethane ..... 123—Mar.
Urethane coatings ..... 456—Aug.
Urethane/vinyl coating ..... 620—Oct.

## V

Vehicle ..... 527—Sept.
Vinyl ..... 150—Mar.
Vinyl acetate film properties ..... 281—May
Vinyl coatings ..... 627—Oct.
Vinyl laminates ..... 627—Oct.
Vinyl polymerization ..... 217—Apr.
Vinyl reaction product ..... 620—Oct.
Viscosity ..... 1, 9—Jan., 710—Dec.
Viscosity measurement ..... 656—Nov.
Viscosity-reduction ..... 141—Mar.
Viscosity stability ..... 398—Jul.
Visual acceptance of matched colors ..... 695—Nov.
Visual-instrument comparison ..... 564—Sept.

## W

Wavenumbers, 1500 to 200 $cm^{-1}$ ..... 169—Apr.
Water-based systems ..... 610—Oct.
Water-base paints ..... 543—Sept.
Water soluble polymers ..... 436—Aug.
Water transmission ..... 227—Apr.
Wear resistance ..... 123—Mar.
Weather-Ometers ..... 591—Oct.
Wet opacity ..... 131—Mar.
Wetting ..... 322, 329—Jun.
White paints ..... 740—Dec.
Wicking rate ..... 9—Jan.
Wire-brushed steel ..... 150—Mar.
Wood ..... 71—Feb.
Wood finish ..... 620—Oct.
Wood primers ..... 584—Oct.
Work-to-failure ..... 732—Dec.

## X

X-ray powder pattern of organic pigments ..... 77—Feb.
Xylenol ..... 703—Dec.

## Y

Yellowing ..... 740—Dec.

## Z

Zero contact angle ..... 322—Jun.
Zinc dust ..... 343—Jun.
Zinc oxide in exterior coatings ..... 682—Nov.
Zinc-rich paints ..... 343—Jun.